

**IEC****IECEE**

®

TM

Ref. Certif. No.

JPTUV-093553-A1/M3

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	Rated Input: 100-240VAC, 5A, 50/60Hz or 100-240VAC, 4.5A, 50/60Hz Protection Class: Class I
Trademark (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	HRPX-300-Y (X = G or blank; Y = 3.3, 5, 7.5, 12, 15, 24, 36, 48); HRP-300N-Z (Z = 12, 24, 36, 48) HRP-300N3-Z (Z = 12, 24, 36, 48)
Additional information (if necessary may also be reported on page 2)	Rated Output: Refer to the test report for details. For model differences, refer to the test report. Re-issue of JPTUV-093553-M3 dated 2022-09-13, due to non-technical change.
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	50207202 005

This CB Test Certificate is issued by the National Certification Body

**TÜVRheinland**®

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2023-08-03

Signature:

Mark Chen

1. Suzhou MEAN WELL Technology Co., Ltd.  
No. 77, Jian-Min Road,  
Dong-Qiao, Pan-Yang Ind. Park,  
Huang-Dai Town, Xiang-Cheng District,  
Suzhou, 215152 Jiangsu, P.R. China
2. MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District,  
New Taipei City 24891  
Taiwan
3. MEAN WELL (GUANGZHOU) Electronics  
Co., Ltd.  
No. 11 Jingu South Road, Huadu District,  
Guangzhou  
510890 Guangdong, P.R. China
4. Yongden Technology Corporation  
345 MacArthur Highway, Tabang,  
Guiguinto, Bulacan 3015  
Philippines
5. MEAN WELL INDIA ELECTRONICS PRIVATE  
LIMITED  
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,  
Bengaluru (Bangalore) Urban, Karnataka, 560058  
India
6. Suzhou MEAN WELL Technology Co., Ltd.  
No.269, Changping Road, Huangdai Town,  
Xiangcheng District, Suzhou  
Jiangsu  
P.R. China

**Additional information (if necessary)**

Report Ref. No. : 50207202 005

Date: 2023-08-03

Signature:

Mark Chen





Ref. Certif. No.

JPTUV-093553-M3

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	Rated Input: 100-240VAC, 5A, 50/60Hz or 100-240VAC, 4.5A, 50/60Hz Rated Output: Refer to the test report for details. Protection Class: Class I
Trademark (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	HRPX-300-Y (X = G or blank; Y = 3.3, 5, 7.5, 12, 15, 24, 36, 48); HRP-300N-Z (Z = 12, 24, 36, 48) HRP-300N3-Z (Z = 12, 24, 36, 48)
Additional information (if necessary may also be reported on page 2)	For model differences, refer to the test report. Re-issue of JPTUV-093553-M2 dated 10.01.2022, due to third modification.
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014 See Test Report for National Differences
As shown in the Test Report Ref. No. which forms part of this Certificate	50207202 004

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2022-09-13

Signature: Mark Chen

1. Suzhou MEAN WELL Technology Co., Ltd.  
No. 77, Jian-Min Road,  
Dong-Qiao, Pan-Yang Ind. Park,  
Huang-Dai Town, Xiang-Cheng District,  
Suzhou, 215152 Jiangsu, P.R. China
2. MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District,  
New Taipei City 24891  
Taiwan
3. MEAN WELL (GUANGZHOU) Electronics  
Co., Ltd.  
No. 11 Jingu South Road, Huadu District,  
Guangzhou  
510890 Guangdong, P.R. China
4. Yongden Technology Corporation  
345 MacArthur Highway, Tabang,  
Guiguinto, Bulacan 3015  
Philippines
5. MEAN WELL INDIA ELECTRONICS PRIVATE  
LIMITED  
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,  
Bengaluru (Bangalore) Urban, Karnataka, 560058  
India

**Additional information (if necessary)**

Report Ref. No. : 50207202 004

Date: 2022-09-13

Signature:



Mark Chen



Ref. Certif. No.


JPTUV-093553-M2

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	Rated Input: 100-240VAC, 5A, 50/60Hz or 100-240VAC, 4.5A, 50/60Hz Rated Output: Refer to the test report for details. Protection Class: Class I
Trademark (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	HRPX-300-Y (X = G or blank; Y = 3.3, 5, 7.5, 12, 15, 24, 36, 48); HRP-300N-Z (Z = 12, 24, 36, 48) HRP-300N3-Z (Z = 12, 24, 36, 48)
Additional information (if necessary may also be reported on page 2)	For model differences, refer to the test report. Re-issue of JPTUV-093553-M1 dated 02.09.2020, due to second modification.
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014 See Test Report for National Differences
As shown in the Test Report Ref. No. which forms part of this Certificate	50207202 003

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2022-01-10

Signature: Mark Chen

1. Suzhou MEAN WELL Technology Co., Ltd.  
No. 77, Jian-Min Road,  
Dong-Qiao, Pan-Yang Ind. Park,  
Huang-Dai Town, Xiang-Cheng District,  
Suzhou, 215152 Jiangsu, P.R. China
2. MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District,  
New Taipei City 24891  
Taiwan
3. MEAN WELL (GUANGZHOU) Electronics  
Co., Ltd.  
No. 11 Jingu South Road, Huadu District,  
Guangzhou  
510890 Guangdong, P.R. China
4. Yongden Technology Corporation  
345 MacArthur Highway, Tabang,  
Guiguinto, Bulacan 3015  
Philippines

**Additional information (if necessary)**

Report Ref. No. : 50207202 003

Date: 2022-01-10

Signature:



Mark Chen



Ref. Certif. No.

JPTUV-093553-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switching Power Supply

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Rated Input/Output: Refer to the test report for details.  
Protection Class: Class I

Trademark (if any)

MEAN WELL

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

HRPX-300-Y  
(X = G or blank; Y = 3.3, 5, 7.5, 12, 15, 24, 36, 48);  
HRP-300N-Z (Z = 12, 24, 36, 48)

Additional information (if necessary may also be reported on page 2)

For model differences, refer to the test report.  
Re-issue of JPTUV-093553 dated 08.01.2019,  
due to first modification.

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014  
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part of this Certificate

50207202 002

This CB Test Certificate is issued by the National Certification Body



TÜVRheinland®

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2020-09-02

Signature:

Mark Chen

1. Suzhou MEAN WELL Technology Co., Ltd. No. 77, Jian-Min Road, Dong-Qiao, Pan-Yang Ind. Park, Huang-Dai Town, Xiang-Cheng District, Suzhou, 215152 Jiangsu, P.R. China
2. MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
3. MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD. HUADU BRANCH No. 11, Jingu South Road, Huadong Town, Huadu District, Guangzhou, 510890 Guangdong, P.R. China
4. Yongden Technology Corporation 345 MacArthur Highway, Tabang, Guiguinto, Bulacan 3015 Philippines

**Additional information (if necessary)**

Report Ref. No. : 50207202 002

Date: 2020-09-02

Signature:



Mark Chen



Ref. Certif. No.

JPTUV-093553

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

### CB TEST CERTIFICATE

### CERTIFICAT D'ESSAI OC

Product  
Produit

Switching Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

MEAN WELL Enterprises Co., Ltd.  
No.28, Wuquan 3rd Rd.,  
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer  
Nom et adresse du fabricant

MEAN WELL Enterprises Co., Ltd.  
No.28, Wuquan 3rd Rd.,  
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input : AC 100-240V; 50/60Hz; 5A or 4.5A; Class I  
Output: refer to the test report

Trademark (if any)  
Marque de fabrique (si elle existe)

MEAN WELL

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

HRPX-300-Y  
(X=G or blank; Y=3.3, 5, 7.5, 12, 15, 24, 36 or 48)

Additional information (if necessary may also be reported on page 2)  
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2<sup>ème</sup> page)

For model differences, refer to the test report.

A sample of the product was tested and found to be in conformity with  
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 62368-1:2014  
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

50207202 001

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜVRheinland®

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Dipl.-Ing. F. Stoelzel

Date: 08.01.2019

Signature:


1. MEAN WELL Enterprises Co., Ltd.  
No.28, Wuquan 3rd Rd.,  
Wugu District, New Taipei City 24891  
Taiwan
2. SuZhou MEAN WELL Technology  
Co., Ltd.  
No. 77, Jian-min Road, Dong-qiao, Pan-  
yang Ind. Park, Huang-dai Town, Xiang-  
cheng District Suzhou, Jiangsu 215152, P. R. China
3. Yongden Technology Corporation  
345 McArthur Highway, Tabang  
Guiguinto, Bulacan  
Philippines
4. MEAN WELL (GUANGZHOU) ELECTRONICS  
CO., LTD HUADU BRANCH  
No. 11 Jingu South Road,  
Huadong Town, Huadu District,  
Guangzhou 510890, P. R. China

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 50207202 001

Date: 08.01.2019

Signature:

  
Dipl.-Ing. F. Stoelzel